

UNITED STATES PATENT AND TRADEMARK OFFICE

PAPER NUMBER

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSIONER FOR PATENTS PO. Box 1450 Alexandra, Virguna 22313-1450 www.uspto.gov

APPLICATION NO. FILING DATE FIRST NAMED INVENTOR ATTORNEY DOCKET NO. CONFIRMATION NO. 09/960,125 09/21/2001 884.562US1 6873 Jian Li 8791 7590 06.23/2003 BLAKELY SOKOLOFF TAYLOR & ZAFMAN EXAMINER 12400 WILSHIRE BOULEVARD, SEVENTH FLOOR RAO, SHRINIVAS H LOS ANGELES, CA 90025

> ART UNIT 2814

DATE MAILED: 06/23/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

<u> </u>		Mc.
•	Application No.	Applicant(s)
Office Action Summary	09/960,125	LI ET AL.
	Examiner	Art Unit
	Steven H. Rao	2814
The MAILING DATE of this communication ap	ppears on the cover sheet	with the correspondence address
A SHORTENED STATUTORY PERIOD FOR REPL THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1, after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a report of the period for reply is specified above, the maximum statutory period. Failure to reply within the set or extended period for reply will, by statute. Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b). Status	.136(a). In no event, however, may ply within the statutory minimum of t d will apply and will expire SIX (6) Mo te, cause the application to become	a reply be timely filed nirty (30) days will be considered timely. DNTHS from the mailing date of this communication. ABANDONED (35 U.S.C. § 133).
1) Responsive to communication(s) filed on 12	April 2003 .	
2a) This action is FINAL . 2b) ⊠ T	his action is non-final.	
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.		
Disposition of Claims		
4) Claim(s) <u>1,5,6 and 30-42</u> is/are pending in th		
4a) Of the above claim(s) is/are withdrawn from consideration.		
5) Claim(s) is/are allowed.		
6) Claim(s) <u>1,5,6 and 30-42</u> is/are rejected.		
7) Claim(s) is/are objected to.	les election requirement	
8) Claim(s) are subject to restriction and/ Application Papers	ror election requirement.	
9) The specification is objected to by the Examin	ner.	
10)⊠ The drawing(s) filed on <u>21 September 2001</u> is		objected to by the Examiner.
Applicant may not request that any objection to t		
11) ☐ The proposed drawing correction filed on is: a) ☐ approved b) ☐ disapproved by the Examiner.		
If approved, corrected drawings are required in reply to this Office action.		
12) The oath or declaration is objected to by the Examiner.		
Priority under 35 U.S.C. §§ 119 and 120		
13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).		
a) \square All b) \square Some * c) \square None of:		
 Certified copies of the priority documents have been received. 		
2. Certified copies of the priority documents have been received in Application No		
 3. Copies of the certified copies of the priapplication from the International E * See the attached detailed Office action for a list 	Bureau (PCT Rule 17.2(a)).
14) Acknowledgment is made of a claim for domes		
a) The translation of the foreign language p 15) Acknowledgment is made of a claim for dome	provisional application has	been received.
Attachment(s)		
 Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449) Paper No(s) 	5) Notice	ew Summary (PTO-413) Paper No(s) of Informal Patent Application (PTO-152)
LC Patent and Trademark Office		

Art Unit: 2814

DETAILED ACTION

Priority

The Application as currently filed does not claim priority from any prior filed application. Therefore currently the earliest available filing date is the U.S. filling date namely 9/21/2001.

Information Disclosure Statement

Acknowledgment is made of receipt of Applicant's Information Disclosure Statement (PTO-1449) filled June 04, 2002.

The references on PTO 1499 submitted on 06/04/2002 are acknowledged. All the cited references have been considered. However the foreign patents and documents cited by applicant are considered to the extent that could be understood from the abstract and drawings.

Preliminary Amendment Status

Acknowledgment is made of entry of preliminary amendment filed 4/12 /02 .

Therefore claims 1,5,6 as amended by the amendment and claims 30 to 42 presently newly added are currently pending in the Application.

Claims 2-4, 7-18 have been can cancelled and claims 19-29 have been withdrawn pursuant to a restriction requirement.

Page 3

Application/Control Number: 09/960,125

Art Unit: 2814

Drawings

The drawings have been objected to by the drafts person for the reasons set out in the enclosed PTO- 948.

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claim 39 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

In claim 39 the phrase "tungsten via" renders the claim indefinite it is not clear what Applicants' intend to include/exclude from the above recitation.

It is not clear what Applicants' mean by a "tungsten via", since a via is an opening in a layer, the opening cannot be made of a particular metal or material.

If Applicants' mean a via filled with tungsten then the same must be clearly recited.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

Art Unit: 2814

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1, 5-6 and 30-42 are rejected under 35 U.S.C. 103(a) as being unpatentable over Evans et al. (U.S. Patent No. 5,864, 932 herein after Evans) and Yoshimori et al. (U.S. Patent No. 5,468,684 herein after Yoshimori).

With respect to claim1 Evans describes a process for forming a memory device including the steps of:

a first topology over a substrate; (Evans figure 52, col. 13 lines 5 to 24) forming a first ferroelectric memory structure at the first topology and after forming the first topology; (Evans figure 52 # 20) and forming at least one subsequent ferroelectric memory structure over the first ferroelectric memory structure (Evans figure 52 # 30) wherein forming -a first topology includes: includes: forming a first dielectric layer over the substrate; (Evans figures-52 # 16) forming a first metal layer over the first dielectric layer: (Evans figures1-52 # 18) Evans does not specifically describe forming a second dielectric layer over the first metal layer.;

However Yohsimori in figures 1,2 etc. and col. 9 lines 27 to 47 etc. describes forming a second dielectric layer over the first metal layer to prevent degradation of characteristics of the ferro electric material common in the priori art processes and to prevent the cracking and peeling problems associated with the prior art methods of forming ferroelectric capacitors.

Art Unit: 2814

Therefore it would have been obvious to one of ordinary skill in the art at the time of the invention to include Yoshimori's forming a second dielectric layer over the first metal layer in Evan's method to prevent degradation of characteristics of the ferro electric material common in the priori art processes and to prevent the cracking and peeling problems associated with the prior art methods of forming ferroelectric capacitors. (Yoshimori col. 3 lines 10-37).

The remaining limitations of claim 1 are:

forming a first electrode adjacent to the second dielectric lager; (Yoshimori fig1 # 40)

forming a second metal layer over the second dielectric layer; (Yoshimori fig.1 #44)

forming a third dielectric layer over the second metal lager: (Yoshimori figure 1 # 65,

col. 13 lines 27 to 42)forming a third metal layer over the third dielectric layer: (

Yoshimori figure 1 # 66)and forming a first via between the first metal layer and the

second metal layer.(Yoshimori fig. 1 # 49,50).

With respect to claim 5, Evans teaches the process according to claim 1, wherein forming a first ferroelectric memory structure further includes: forming a first ferroelectric-polymer memory layer over the first electrode; and forming a second electrode over the first ferroelectric polymer memory (Yoshimori col. 7 lines 50 to col. 8 lines 50).

With respect to claim 6. Evans describes a process according to claim 1, wherein forming a first ferroelectric memory structure and forming a subsequent ferroelectric memory structure further includes: forming a first ferroelectric polymer memory layer over the first electrode; forming a second electrode over the first

Art Unit: 2814

ferroelectric polymer memory. layer; forming a second ferroelectric polymer memory layer over the second electrode; and forming a third electrode over the second ferroelectric polymer memory layer. (Evans fig. 52, 20, 30 and Yoshimori col. 7 lines 50 to col. 8 lines 50).

With respect to claim 30, Evans describes a method, wherein first ferroelectric oxide memory layer comprising: forming a first electrode over a substrate; ,(Evans figure 52, col. 13 lines 5 to 24) forming a first ferroelectric oxide memory layer over the first electrode; (Yoshimori fig. 1 # 42) forming a second electrode over the; (Yoshimori fig. 1 # 44) and forming a second ferroelectric oxide memory layer over the first ferroelectric oxide memory layer, (Yoshimori figure 1) wherein the second ferroelectric oxide memory layer is larger than the first ferroelectric oxide memory layer, (Yoshimori figure 15 , etc.)

With respect to claim 31. Evans describes the method of claim 30, wherein the second ferroelectric oxide memory layer is formed so that a thickness of the first ferroelectric oxide memory layer is substantially equal to a thickness of the second ferroelectric oxide memory layer and so that a width of the second ferroelectric oxide memory layer is greater than a width of the first ferroelectric oxide memory layer. (
Yoshimori col. 10 lines 10-17).

With respect to claim 32, Evans describes the method of claim 30, wherein forming the first ferroelectric oxide memory layer includes forming a ferroelectric oxide memory layer by chemical vapor deposition, spin-on deposition, or physical vapor deposition. (Yoshimori col.11 lines 43).

Art Unit: 2814

With respect to claim 33, Evans describes the method of claim 30, the first electrode has a width that is a minimum feature of a photolithography technology, selected from 0.25 micron, 0.18 micron, 0.13 micron, and 0.11 micron. (well known in the art).

With respect to claims 34- 38 Evans describes the method of claim 30, further comprising: forming a via coupled to the first electrode prior to forming the first ferroelectric oxide memory layer and .forming first ferroelectric oxide/polymer memory layer in the cavity. (Yoshimori figures 16 c to 18, etc. col. 14)

With respect to claim 39 to the extent understood, Evans describes the method of claim 35, wherein forming a via includes forming a tungsten via coupled to the first electrode.

With respect to claim 40, Evans describes the method of claim 35, further comprising: forming a second electrode material over the first ferroelectric memory, layer; and forming a second ferroelectric memory layer in the cavity and over the first ferroelectric memory layer, wherein a volume of the second ferroelectric memory layer is greater than a volume of the first ferroelectric memory material. (Yoshimori figs. 16 C to 18).

With respect to claim 41, Yoshimori describes the method of claim 40, further comprising: forming a conductive layer over the second ferroelectric memory layer; planarizing the conductive layer; and patterning the conductive layer to form a third electrode; and forming an interlayer dielectric (ILD) layer over the third electrode; and

Art Unit: 2814

Page 8

forming a third ferroelectric memory layer over the interlayer dielectric layer. (Yoshimori figs. 16 c to 18 and col. 14 line 55 to 67).

With respect to claim 42, Evans describes a method, comprising; forming a structure having a cavity, wherein the structure includes at least one dielectric layer, at least one metal layer, and at least one via; and forming at least one ferroelectric layer in the cavity. (Yoshimori figs. 16 c to 18).

Any inquiry concerning this communication or earlier communication from the examiner should be directed to Steven H. Rao whose telephone number is (703) 306-5584. The examiner can normally be reached on Monday- Friday from approximately 7:00 a.m. to 5:30 p.m.

Any inquiry of a general nature or relating to the status of this application should be directed to the Group receptionist whose telephone number is (703) 308-0956. The Group facsimile number is (703) 308-7724.

Steven H. Rao

Patent Examiner

June 12, 2003.

SUE